



# WIŚNIEWSKI

## Declaration of Performance



Declaration no.: 1008/CPR/2020

1. Unique identification code of the product-type: **UNIPRO - manually operated door.**
2. Intended use/es: **The door is intended as a vertical barrier in general purpose and garage buildings. The intended use means providing safe indoor access to pedestrians and vehicles and their drivers and passengers.**

3. Manufacturer: **WIŚNIEWSKI Sp. z o.o. S.K.A.  
PL 33-311 Wielogłowy 153**

4. System/s of AVCP: **3**

5. Harmonised standard: **PN- EN 13241+A2:2016-10**

Notified body/ies: **Instytut Techniki Budowlanej NB No.1488**

6. Declared performance/s:	Type	Requirements	Test results
	Watertightness	PN-EN 13241 Clause 4.4.2	Class 2 Class 0*
	Release of dangerous substances	PN-EN 13241 Clause 4.2.9	NPD
	Resistance to wind load	PN-EN 13241 Clause 4.4.3	Class 3
	Thermal resistance	PN-EN 13241 Clause 4.4.5	NPD**
	Air permeability	PN-EN 13241 Clause 4.4.6	Class 4 Class 0*
	Safe opening	PN-EN 13241 Clause 4.2.8	Pass
	Definition of geometry of glass components	PN-EN 13241 Clause 4.2.5	Pass
	Mechanical resistance and stability	PN-EN 13241 Clause 4.2.3	Pass
	Operating forces	PN-EN 13241 Clause 4.3.3	NPD
	Durability of watertightness, thermal resistance and air permeability against degradation	PN-EN 13241 Clause 4.4.7	20 000 cycles

\* - Applies to doors with ventilation grilles or vented panels.

\*\* - The parameter value for the door serial no. as given on the nameplate.

7. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

WIŚNIEWSKI Sp. z o.o. S.K.A.

mgr inż. *Dariusz Złocki*  
Dyrektor Biura Konstrukcyjnego

(first and last name and signature of the authorized person)



Wielogłowy, on 10.02.2020